

	Hits	Search Text	DBs
1	68	set\$4 with language with application with ((operating adj system) or os)	US-PGPUB; USPAT
2	50	input adj method adj edit\$5	US-PGPUB; USPAT
3	0	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) with (set\$3 near language)	US-PGPUB; USPAT
4	2	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) same (set\$3 near language)	US-PGPUB; USPAT
5	15	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) and (set\$3 near language)	US-PGPUB; USPAT
6	1	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) and (detect\$3 near language)	US-PGPUB; USPAT
7	2	(set\$3 with (edit\$3 adj language))	US-PGPUB; USPAT
8	1	(detect\$3 with (edit\$3 adj language))	US-PGPUB; USPAT
9	0	(detect\$3 with (working near3 language))	US-PGPUB; USPAT
10	15	(set\$4 with (working near3 language))	US-PGPUB; USPAT
11	2	(set\$4 with (edit\$3 adj language))	US-PGPUB; USPAT
12	16	((chang\$3 or select\$3) with (working near3 language))	US-PGPUB; USPAT
13	8	set\$4 with language with application with ((operating adj system) or os)	EPO; JPO
14	177	((chang\$3 or select\$3 or set\$4) with ((working or edit\$3) near3 language))	US-PGPUB; USPAT
15	33	((chang\$3 or select\$3 or set\$4) with ((working or edit\$3) near3 language))	EPO; JPO
16	45	(locale with language) same (operating adj system)	US-PGPUB; USPAT
17	7	((locale with language) same (operating adj system)) and boot\$3	US-PGPUB; USPAT
18	25	((locale with language) same (operating adj system)) and load\$3	US-PGPUB; USPAT
19	29	((locale with language) same (operating adj system)) and start\$3	US-PGPUB; USPAT
20	38	((locale with language) same (operating adj system)) and (default or setting)	US-PGPUB; USPAT

	Hits	Search Text	DBs
21	26	((locale with language) same (operating adj system)) and (default)	US-PGPUB; USPAT
22	35	((locale with language) same (operating adj system)) and (setting)	US-PGPUB; USPAT
23	24	((locale with language) same (operating adj system)) and (initial\$8)	US-PGPUB; USPAT
24	11282	(initial\$8 with first with (program or application or software))	US-PGPUB; USPAT
25	124	(initial\$8 near2 parameters) with first with (program or application or software)	US-PGPUB; USPAT
26	4	(initial\$8 near2 parameters) with first with (program or application or software) with configur\$6	US-PGPUB; USPAT
27	198	(determin\$6 adj2 first) with (program or application or software) with configur\$6	US-PGPUB; USPAT
28	44	(determin\$6 adj2 first) with (program or application or software) with (run\$5 or execut\$5 or load\$3 or boot\$3) with configur\$6	US-PGPUB; USPAT
29	6	(determin\$6 adj2 initial) with (program or application or software) with (run\$5 or execut\$5 or load\$3 or boot\$3) with configur\$6	US-PGPUB; USPAT
30	6	((locale with language) with (set\$4) with default)	US-PGPUB; USPAT
31	3	((locale with language) with (initializ\$6))	US-PGPUB; USPAT
32	15	((locale with language) and (initializ\$6 with language))	US-PGPUB; USPAT
33	21	((locale with language) and (initializ\$6 with default))	US-PGPUB; USPAT
34	9	((locale with language) and (first with default with language))	US-PGPUB; USPAT
35	48	((locale with language) and (first with default))	US-PGPUB; USPAT
36	585	((parameters or setting) same (first with default) same (application or program or software))	US-PGPUB; USPAT

	Hits	Search Text	DBs
37	215	((parameters or setting) with (first with default) with (application or program or software))	US-PGPUB; USPAT
38	10	((parameters or settings) near2 default) with (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3)) with (application or program or software)	US-PGPUB; USPAT
39	1	((parameters or options or settings) near2 default) with (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3 or initia\$7) near2 time) with (application or program or software)	US-PGPUB; USPAT
40	6	((parameters or options or settings) near2 default) same (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3 or initia\$7) near2 time) same (application or program or software)	US-PGPUB; USPAT
41	27	((parameters or options or settings)) with (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3 or initia\$7) near2 time) with (application or program or software)	US-PGPUB; USPAT
42	1	"4858114".PN.	USPAT
43	0	(locale with language) same (operating adj system)	EPO; JPO
44	3	(initial\$8 near2 parameters) with first with (program or application or software)	EPO; JPO
45	3	(determin\$6 adj2 first) with (program or application or software) with configur\$6	EPO; JPO
46	3	((parameters or setting) with (first with default) with (application or program or software))	EPO; JPO
47	8	(localization same (default adj language))	US-PGPUB; USPAT
48	1	(globali\$7 same (default adj language))	US-PGPUB; USPAT
49	0	(globali\$7 and (load\$3 with (default adj language)))	US-PGPUB; USPAT

	Hits	Search Text	DBs
50	3	((globali\$7 or localization) and (load\$3 with (default adj language)))	US-PGPUB; USPAT
51	2	((globali\$7 or localization) and (indicat\$6 with (default adj language)))	US-PGPUB; USPAT
52	11	((globali\$7 or localization) and (set\$4 with (default adj language)))	US-PGPUB; USPAT
53	0	((globali\$7 or localization) and ((load\$3 or indicat\$6 or set\$4) with (default adj language)))	EPO; JPO
54	0	((localization or globali\$8) and (default adj language))	EPO; JPO
55	78	((set\$4 near3 (default adj language)))	US-PGPUB; USPAT
56	13	((set\$4 near3 (default adj language)) with (program or application or software))	US-PGPUB; USPAT
57	4	((sav\$4 or stor\$3) near3 (default adj language)) with (program or application or software))	US-PGPUB; USPAT
58	5058	(first with install\$7 with (software or application or program))	US-PGPUB; USPAT
59	290	((first adj time) with install\$7 with (software or application or program))	US-PGPUB; USPAT
60	65	((first adj time) with install\$7 with (execut\$7 or launch\$3 or load\$3 or run or boot\$3) with (software or application or program))	US-PGPUB; USPAT
61	5	((first adj time) with install\$7 with (software or application or program))	EPO; JPO
62	27	default with (first near2 boot\$3)	US-PGPUB; USPAT
63	152	default with (first near2 (load\$3 or execut\$3)) with (program or application or software)	US-PGPUB; USPAT
64	13	default with (first near2 (load\$3 or execut\$3)) with (program or application or software) with (settings or data or prefer\$7 or config\$7)	US-PGPUB; USPAT

	Hits	Search Text	DBs
65	18	(default with (first near2 (load\$3 or execut\$3)) with (program or application or software)) same(settings or data or prefer\$7 or config\$7)	US-PGPUB; USPAT
66	0	default with (first near2 boot\$3)	EPO; JPO
67	0	default with (first near2 (load\$3 or execut\$3)) with (program or application or software)	EPO; JPO
68	0	(default with (first near2 (load\$3 or execut\$3)) with (program or application or software)) same(settings or data or prefer\$7 or config\$7)	EPO; JPO
69	4833	((first near2 (load\$3 or execut\$3)) with (program or application or software)) same (settings or data or prefer\$7 or config\$7)	US-PGPUB; USPAT
70	2943	((first near2 (load\$3 or execut\$3)) with (program or application or software)) with (settings or data or prefer\$7 or config\$7)	US-PGPUB; USPAT
71	720	((first near2 (load\$3 or execut\$3)) with (program or application or software)) with (settings or prefer\$7 or config\$7)	US-PGPUB; USPAT
72	67	((first near2 (load\$3 or execut\$3)) with (program or application or software)) with (settings or prefer\$7)	US-PGPUB; USPAT
73	0	((first near2 (load\$3 or execut\$3)) with (program or application or software)) with (settings or prefer\$7)	EPO; JPO
74	5	((first near2 (load\$3 or execut\$3)) with (program or application or software)) with (settings or prefer\$7 or config\$7)	EPO; JPO
75	13	((first near2 (load\$3 or execut\$3)) with (program or application or software)) same (settings or prefer\$7 or config\$7)	EPO; JPO